Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S21	7237	709/206 709/246 709/217 709/220	USPAT	OR	OFF	2004/01/07 19:36
S22	5833	709/206 709/246 709/217 709/220 and (reformat$3 or re-author$4 or rebuild$4) and "web page" and "web server" and html and wml and java	USPAT	OR	OFF	2004/01/07 19:37
S23	2	(709/206 709/246 709/217 709/220) and (reformat$3 or re-author$4 or rebuild$4) and "web page" and "web server" and html and wml and java	USPAT	OR	OFF	2004/01/07 19:37
S24	39	chain with forward with message$1	US-PGPUB; USPAT	OR	OFF	2005/01/31 22:19
S25	154	(forward$3 near2 message$1) with electronic with messag$1	USPAT	OR	OFF	2005/02/02 21:35
S26	42	((forward$3 near2 message$1) with electronic with messag$1) and pars$3	USPAT	OR	OFF	2005/01/31 22:37
S27	42	((forward$3 near2 message$1) with electronic with messag$1) and pars$3 and ((link$3 chain$3 thread$) message$1)	USPAT	OR	OFF	2005/01/31 22:38
S28	11	((forward$3 near2 message$1) with electronic with messag$1) and pars$3 and ((link$3 chain$3 thread$) near3 message$1)	USPAT	OR	OFF	2005/01/31 22:38
S29	14	((forward$3 near2 message$1) with electronic with messag$1) and pars$3 and ((link$3 chain$3 thread$ group$3) near3 message$1)	USPAT	OR	OFF	2005/02/02 21:34
S30	14	((forward$3 near2 message$1) with electronic with messag$1) and pars$3 and ((link$3 chain$3 thread$ group$3) near3 message$1)	USPAT	OR	OFF	2005/02/02 21:28
S31	1	((pars$3 near message$1) same html) and (smtp near4 message$1)	USPAT	OR	OFF	2005/02/02 21:51
S32	15	(pars$3 near2 message$1) and (html) and (smtp near4 message$1)	USPAT	OR	OFF	2005/02/02 21:51
S33	1	(pars$3 near2 message$1) and (html with pars$3) and (smtp near4 message$1)	USPAT	OR	OFF	2005/02/02 21:51
S34	1	("6496853").pn.	USPAT	OR	OFF	2005/02/02 23:07

S35	21	"4974503"	USPAT	OR	OFF	2005/02/02 23:07
S36	29	"5974503"	USPAT	OR	OFF	2005/02/02 23:23
S37	4	("668787")	USPAT	OR	OFF	2005/02/02 23:24
S38	1	("6687878")	USPAT	OR	OFF	2005/02/02 23:26
S39	47	"5274783"	USPAT	OR	OFF	2005/02/02 23:26

PORTAL

US Patent & Trademark Office

THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used **Conversation Based Mail**   Found **2** of **150,138**

Sort results by [relevance ▼]   ● Save results to a Binder   Try an Advanced Search
Display results [expanded form ▼]   ② Search Tips   Try this search in The ACM Guide
                                     ☐ Open results in a new window

Results 1 - 2 of 2

Relevance scale ☐ ☐ ☐ ☐ ☐

1 Conversation-based mail
Douglas E. Comer, Larry L. Peterson
September 1986 **ACM Transactions on Computer Systems (TOCS)**, Volume 4 Issue 4

Full text available: ⊞ pdf(1.67 MB)   Additional Information: full citation, abstract, references, citings, index terms, review

A new message communication paradigm based on conversations that provides an alternative to memo- and conference-based mail is described. A conversation-based message system groups messages into conversations, and orders messages within a conversation according to the context in which they were written. The message context relation leads to an efficient implementation of conversations in a distributed environment and suppor ...

2 A pilot card-based hypermedia integrated with a layered architecture-based OODB and an object-forwarding mail system
Satoshi Ichimura, Yutaka Matsushita
April 1992 **Proceedings of the 1992 ACM annual conference on Communications**

Full text available: ⊞ pdf(688.99 KB)   Additional Information: full citation, abstract, references, index terms

The goal of our project is to develop a PilotCard-based hypermedia which allows users to create the connecting network of links through the use of an electronic mail system. Based on the goal, we developed an underlying Object-Oriented database management system with a layered architecture to combine personal work environments and a team cooperative work environment effectively. This integration provides the basis of groupware applications.

Results 1 - 2 of 2